			Name:	
Mo	odified Oswestry Low Back Pain Disability Questionnaire	a	DOB:	Date:
you bes	is questionnaire has been designed to give your therapist ur ability to manage in everyday life. Please answer eve st describes your condition today. We realize you may fe andition, but <b>please mark only the box that most closely</b>	ry q eel t	uestion by plac hat two of the s	ring a mark in the <b>one</b> box that statements may describe your
Pai	in Intensity	Sitt	ting	
	I can tolerate the pain I have without having to use		_	chair as long as I like.
	pain medication.			my favorite chair as long as I like.
	The pain is bad, but I can manage without having		_	ne from sitting for more than 1 hour.
_	to take pain medication.			ne from sitting for more than
Ц	Pain medication provides me with complete relief		1/2 hour.	
	from pain. Pain medication provides me with moderate relief	_	10 minutes.	ne from sitting for more than
_	from pain.			ne from sitting at all.
	Pain medication provides me with little relief		rum provents n	io irom sitting at ani
	from pain.		nding	
	Pain medication has no effect on my pain.			ong as I want without increased pain.
Day	usanal Cara (a.g. Washing Duagaing)			ong as I want, but it increases
	rsonal Care (e.g., Washing, Dressing)  I can take care of myself normally without causing		my pain.	as from standing for more than
	increased pain.	_	1 hour.	ne from standing for more than
	I can take care of myself normally, but it increases			ne from standing for more than
	my pain.		1/2 hour.	2
	It is painful to take care of myself, and I am slow and careful.		Pain prevents m 10 minutes.	ne from standing for more than
	I need help, but I am able to manage most of my			ne from standing at all.
	personal care.		rum provents n	to from standing at all.
	I need help every day in most aspects of my care.	Sle	eping	
Ц	I do not get dressed, I wash with difficulty, and I			revent me from sleeping well.
	stay in bed.			only by using pain medication.
Lif	iting	ш		ke medication, I sleep less than
	I can lift heavy weights without increased pain.	П	6 hours.  Even when I tal	ke medication, I sleep less than
	I can lift heavy weights, but it causes increased pain.	_	4 hours.	ke medication, I sleep less than
	Pain prevents me from lifting heavy weights off		Even when I tal	ke medication, I sleep less than
	the floor, but I can manage if the weights are		2 hours.	-
	conveniently positioned (e.g., on a table).		Pain prevents m	ne from sleeping at all.
_	Pain prevents me from lifting heavy weights, but I can manage light to medium weights if they are	a	. 11.6	
	conveniently positioned.		cial Life	s normal and does not increase
	I can lift only very light weights.	_	my pain.	s normal and does not increase
	I cannot lift or carry anything at all.		My social life is	s normal, but it increases my level
Wa	alking	П	of pain.  Pain prevents m	ne from participating in more
	Pain does not prevent me from walking any distance.	_	•	ties (e.g., sports, dancing).
	Pain prevents me from walking more than 1 mile.			ne from going out very often.
	(1  mile = 1.6  km).			ted my social life to my home.
	Pain prevents me from walking more than 1/2 mile.		I have hardly ar	ny social life because of my pain.
	I can walk only with crutches or a cane.  I am in bed most of the time and have to crawl to			

the toilet.

Please complete questionnaire on other side.

My normal homemaking / job activities do not cause pain.
cause pain.
☐ My normal homemaking / job activities increase
my pain, but I can still perform all that is required
of me.
☐ I can perform most of my homemaking / job
<ul> <li>duties, but pain prevents me from performing more physically stressful activities (e.g., lifting, vacuuming).</li> <li>Pain prevents me from doing anything but light duties.</li> <li>Pain prevents me from doing even light duties.</li> <li>Pain prevents me from performing any job or homemaking chores.</li> </ul>
first statement is marked the section score = 0, if the last he score is calculated as follows:
he score is calculated as follows:  % ted:
he score is calculated as follows:

Source: Fritz JM, Irrgang JJ. A comparison of a modified Oswestry Low Back Pain Disability Questionnaire and the Quebec Back Pain Disability Scale. *Physical Therapy*. 2001;81:776-788.

<sup>a</sup>Modified by Fritz & Irrgang with permission of The Chartered Society of Physiotherapy, from Fairbanks JCT, Couper J, Davies JB, et al. The Oswestry Low Back Pain Disability Questionnaire. *Physiotherapy*. 1980;66:271-273.